

IMAGINE

a lab printer designed to think
like you



LABXPERT™
LABORATORY LABELING SYSTEM

 **BRADY®**

IMAGINE a printer that **already** knows your labeling needs



With Brady's LABXPRT™ Laboratory Labeling System you have a powerful yet affordable tool at your fingertips! Produce legible, professional looking labels for your lab samples, while drastically reducing the time it actually takes to label.

Increase the efficiency of labeling in your lab with:

- Pre-sized labels customized to fit vials, tubes and slides
- Auto-serialization – produce 40 labels in under two minutes – that's 80% faster than handwriting!
- One-touch Time & Date stamping
- Built-in bar-coding
- Over 140 lab-specific Greek, research and safety symbols

Imagine labels designed specifically for your harshest environment


Brady labels have been tested to stand up to your toughest, most extreme conditions. They won't fall off, crack or peel. The labels preserve the integrity of your most important specimens – indefinitely.

Labels are designed to withstand:

- Extreme temperatures: Liquid Nitrogen (-196°C) through Autoclave (+121°C)
- Harsh chemicals: Xylene, Ethanol, DMSO, IPA, Toluene, boiling water
- Jamming: Low-profile materials will not get stuck in centrifuge or other equipment

"Our samples are routinely exposed to temperature variations of -20°C to +25°C. We needed label material that could stand up to those extremes without smearing or coming loose from the sample. We are particularly pleased that the label material holds up even when samples are taken in and out of varying temperature environments."

Sam Huber
Group Leader of Environmental Organic Extraction
Lancaster Laboratories




Imagine the perfect label – perfectly legible

Completely eliminate the risk of labels that are indecipherable due to poor or smudged handwriting. You'll never have to question what's inside your vessel or who did the work.

- Crisp, clear, legible printing even on the smallest labels using the smallest fonts
- Won't smear from handling or harsh chemicals
- Range of type sizes from 1mm to 32mm (0.035" to 1.25")
- Can be bar coded

"Being able to read people's handwriting was a major problem. Hand labeling was also very slow. We had to write with a felt-tipped marker on a really small space. We decided that an automated system to print labels was definitely in order."

*Kevin Kershner
Scientist*



Innovative Drop, Lock and Go Smart Cartridge quickly and easily loads, so it takes no time at all to switch labeling jobs!



Imagine LABXPRT with even more capabilities – a dream come true!

If you really want to increase efficiency and speed in labeling, connect your LABXPRT to your PC and use the optional IdentiLab™ Software to create labels on your PC and download database information.

- Easy interface with spreadsheets and many other programs
- Increase your text options with more fonts, symbols and sizes
- Work in an easy "click and drag" environment

Imagine software designed specifically for laboratory users

Create files, templates and more with the easy-to-use wizards in IdentiLab. Hundreds of parts and graphics are categorized by common lab applications, including superscript and subscript characters. Database import, automatic text formatting, multi-label data entry view, and 2-D bar code support are just a few of the capabilities of IdentiLab. And, IdentiLab is quick and easy to use – just three simple steps until your labels print from any Windows®-based printer.

IdentiLab Version 1.0
Part Number IDL

BRADY
IDENTI LAB™
Laboratory Labeling Software



IMAGINE solutions

for **all your**
labeling needs

Ordering Information

There's a LABXPRT™ labeling system package to fit your application needs.

Catalog #	Material Description
LABXPRT Printer & Accessories	
LABXPRT-KEY	LABXPRT LAB LABELING SYSTEM *
LABXPRT-KEY-INTL	LABXPRT LAB LABELING SYSTEM **
LABXPRT-HC-KEY	HARD CASE FOR LABXPRT PRINTER
XPRT-AC	AC ADAPTER for LABXPRT
PCCABLE-1	SERIAL PC COMMUNICATIONS CABLE
IdentiLab Laboratory Labeling Software	
IDL	IDENTILAB LAB ID SOFTWARE
IDL-SITE	IDENTILAB LAB ID SOFTWARE-SITE LICENSE
IdentiLab/Printer Combo Packages	
LABXPRT-KEY-IDL	LABXPRT + IDENTILAB S/WARE SINGLE USER
TLSPC-IDL	TLSPCLINK + IDENTILAB S/WARE SINGLE USER
TLS2200-IDL	TLS2200 + IDENTILAB S/WARE SINGLE USER
BP1344-IDL	BP1344 + IDENTILAB S/WARE SINGLE USER

* Ships with: printer, AC power supply, PC cable, XSL-86-461 supply cartridge, CD containing manuals and driver

** Ships with: same as LABXPRT-KEY but with international AC power sup-



Label Installation Styles

The right label, properly installed, will give you maximum performance. The key below details installation information by label style found on the following pages.



Free Standing Label Style

- Label does not wrap around to overlap itself
- Provides window to view liquid level inside vial



Short Overlap Label Style

- "All-White" label wraps around vial to slightly overlap itself
- Does not provide window to view liquid level inside vial



Short-Tail Overlam Label Style

- Label wraps around vial but clear tail only overlaps slightly to maintain lowest profile and easier handling
- Provides window to view liquid level inside vial



Long-Tail Overlam Label Style

- Label wraps around vial and clear tail extends over text for additional solvent resistance
- Provides window to view liquid level inside vial



Application Index

Here is a quick reference to locate labels for your application:

	Page
Centrifuge, Eppendorf, PCR Tube Labels	5
Cryo Vials & Tubes	6/7
Vial Top Labels	7
Conicals & Large Tube Labels	8
Well Plate Label	9
Slide Labels	9
Straw Labels	9
Tissue Cassette Label (post-process)	10
Bottles, Flasks, Dishes and General Lab ID	10
Tamper Resistant & Indicating Labels	11
Drawers, Shelves, Cabinets and Lab Facility ID	11

Centrifuge, Eppendorf, PCR Tube Labels

B-461 High Performance Lab Polyester



WITHSTANDS:

- Liquid nitrogen (-196°C) ■ Freezer (-80°C)
- Hot water bath (+100°C) ■ Autoclave (+121°C)

Designed for use in labs, this material has a very low-profile construction that prevents vials from jamming in the centrifuge or racks. It stays put in the harshest conditions, and the clear tail can be wrapped over text for added protection from solvents. For use in liquid nitrogen, label must wrap around vial and slightly overlap itself.



Vial Size	Diagram	Part Number	Labels per Cartridge	Dimensions – inches			Dimensions – mm			Install Style (See page 4)
				A	B	C	A	B	C	
LONG-TAIL STYLE – text covered for solvent resistance										
.2 ml PCR tube		XSL-108-461	500	0.187	1.500	0.700	4.75	38.10	17.78	Long-Tail
.5 to .7 ml		XSL-73-461	225	0.375	1.800	0.750	9.53	45.72	19.05	Long-Tail
.5 to .7 ml (larger text area)		XSL-72-461	225	0.500	1.750	0.750	12.70	44.45	19.05	Long-Tail
1.5 to 2.0 ml		XSL-74-461	175	0.500	2.200	0.750	12.70	55.88	19.05	Long-Tail
1.5 to 2.0 ml (larger text area)		XSL-86-461	150	0.600	2.625	1.000	15.24	66.68	25.40	Long-Tail
SHORT-TAIL STYLE – lowest profile, easier handling										
.5 to .7 ml		XSL-123-461	500	0.375	1.125	0.750	9.53	28.58	19.05	Short-Tail
.5 to .7 ml (larger text area)		XSL-122-461	500	0.500	1.125	0.750	12.70	28.58	19.05	Short-Tail
1.5 to 2.0 ml		XSL-124-461	225	0.500	1.650	0.750	12.70	41.91	19.05	Short-Tail
1.5 to 2.0 ml (larger text area)		XSL-126-461	225	0.600	1.800	1.000	15.24	45.72	25.40	Short-Tail
CONTINUOUS WRAP STYLE – use w/vial templates in LABXPRT, no window to see liquid level										
.5 to .7 ml		XC-375-461	30 ft roll	30 ft.	0.375		9.1 m	9.53		Short Overlap
.5 to 2.0 ml		XC-500-461	30 ft roll	30 ft.	0.500		9.1 m	12.70		Short Overlap




B-490 FreezerBondz™ Material

WITHSTANDS:

- Liquid nitrogen (-196°C) ■ Freezer (-80°C) ■ Sticks to frozen/frosted surfaces
- Hot water bath (+100°C) ■ Autoclave (+121°C)

If you ever need to put a label on an already-frozen vial, this material will adhere to a frozen or frosted surface without the need to scrape or dry the vial before placement of the label. To be assured that the label stays secured when placed back into storage it is recommended that the label wrap around the vial and slightly overlap itself.

Vial Size	Diagram	Part Number	Labels per Cartridge	Dimensions – inches		Dimensions – mm		Install Style (See page 4)
				A	B	A	B	
.5 to .7 ml		X-112-490	500	1.250	0.375	31.75	9.53	Short Overlap
1.5 to 2.0 ml		X-124-490	225	1.650	0.500	41.91	12.70	Short Overlap





B-499 Nylon Cloth Material

WITHSTANDS:

- Liquid nitrogen (-196°C) *Not suitable for use on glass in liquid nitrogen.*
- Freezer (-80°C) ■ Autoclave (+121°C)

Ideal for performance and general purpose lab labeling, the permanent adhesive and thicker construction makes this material durable, yet easy to handle.

Vial Size	Diagram	Part Number	Labels per Cartridge	Dimensions – inches			Dimensions – mm			Install Style (See page 4)
				A	B	C	A	B	C	
.5 to .7 ml		X-130-499	350	0.825	0.375		20.96	9.53		Free Standing
.5 to .7 ml		X-118-499	350	1.000	0.375	0.375	25.40	9.53	9.53	Short Overlap
.5 to .7 ml		X-120-499	350	1.000	0.500	0.375	25.40	12.70	9.53	Short Overlap
1.5 to 2.0 ml		X-131-499	350	1.000	0.500		25.40	12.70		Free Standing
1.5 to 2.0 ml		X-118-499	350	1.000	0.375	0.375	25.40	9.53	9.53	Free Standing
1.5 to 2.0 ml		X-120-499	350	1.000	0.500	0.375	25.40	12.70	9.53	Free Standing
1.5 to 2.0 ml		X-117-499	350	1.000	0.500	0.440	25.40	12.70	11.18	Free Standing



Cryo Vials & Tubes

B-461 High Performance Lab Polyester




WITHSTANDS:

- Liquid nitrogen (-196°C) ■ Freezer (-80°C)
- Hot water bath (+100°C) ■ Autoclave (+121°C)

Designed for use in labs, this material has a very low-profile construction that prevents vials from jamming in the centrifuge or racks. It stays put in the harshest conditions, and the clear tail can be wrapped over text for added protection from solvents. For use in liquid nitrogen, label must wrap around vial and slightly overlap itself.



Vial Size	Diagram	Part Number	Labels per Cartridge	Dimensions – inches			Dimensions – mm			Install Style (See page 4)
				A	B	C	A	B	C	
LONG-TAIL STYLE – text covered for solvent resistance										
.6 ml	▶	XSL-73-461	225	0.375	1.800	0.750	9.53	45.72	19.05	Long-Tail
.6 ml	▶	XSL-72-461	225	0.500	1.750	0.750	12.70	44.45	19.05	Long-Tail
1.0 to 8.0 ml	▶	XSL-74-461	175	0.500	2.200	0.750	12.70	55.88	19.05	Long-Tail
1.0 to 8.0 ml (larger text area)	▶	XSL-86-461	150	0.600	2.625	1.000	15.24	66.68	25.40	Long-Tail
1.0 to 8.0 ml (larger text area)	▶	XSL-75-461	150	1.000	2.625	1.000	25.40	66.68	25.40	Long-Tail
12 to 14 ml	▶	XSL-119-461	100	1.500	3.750	1.250	38.10	95.25	31.75	Long-Tail
SHORT-TAIL STYLE – lowest profile, easier handling										
.6 ml	▶	XSL-123-461	500	0.375	1.125	0.750	9.53	28.58	19.05	Short-Tail
.6 ml	▶	XSL-122-461	500	0.500	1.125	0.750	12.70	28.58	19.05	Short-Tail
1.0 to 8.0 ml	▶	XSL-72-461	225	0.500	1.750	0.750	12.70	44.45	19.05	Short-Tail
1.0 to 8.0 ml (larger text area)	▶	XSL-126-461	225	0.600	1.800	1.000	15.24	45.72	25.40	Short-Tail
1.0 to 8.0 ml (larger text area)	▶	XSL-125-461	225	1.000	1.750	1.000	25.40	44.45	25.40	Short-Tail
12 to 24 ml	▶	XSL-129-461	175	1.500	2.250	1.250	38.10	57.15	31.75	Short-Tail
CONTINUOUS WRAP STYLE – use w/vial templates in LABXPRT, no window to see liquid level										
.6 ml	⊙	XC-375-461	30 ft roll	30 ft.	0.375		9.1 m	9.53		Short Overlap
.6 to 2.0 ml	⊙	XC-500-461	30 ft roll	30 ft.	0.500		9.1 m	12.70		Short Overlap
1.0 to 8.0 ml	⊙	XC-1000-461	30 ft roll	30 ft.	1.000		9.1 m	25.40		Short Overlap
4.0 to 8.0 ml	⊙	XC-1250-461	30 ft roll	30 ft.	1.250		9.1 m	31.75		Short Overlap





B-490 FreezerBondz™ Material

WITHSTANDS:

- Liquid nitrogen (-196°C) ■ Freezer (-80°C) ■ Sticks to frozen/frosted surfaces
- Hot water bath (+100°C) ■ Autoclave (+121°C)

If you ever need to put a label on an already-frozen vial, this material will adhere to a frozen or frosted surface without the need to scrape or dry the vial before placement of the label. To be assured that the label stays secured when placed back into storage it is recommended that the label wrap around the vial and slightly overlap itself.

Vial Size	Diagram	Part Number	Labels per Cartridge	Dimensions – inches		Dimensions – mm		Install Style (See page 4)
				A	B	A	B	
.6 ml	▲	X-112-490	500	1.250	0.375	31.75	9.53	Short Overlap
1.0 to 8.0 ml	▲	X-126-490	225	1.800	0.600	45.72	15.24	Short Overlap
1.0 to 8.0 ml	★	X-125-490	225	1.000	1.750	25.40	44.45	Short Overlap
14 to 15 ml	★	X-113-490	175	1.500	2.200	38.10	55.88	Short Overlap



Cryo Vials & Tubes (cont.)




B-499 Nylon Cloth Material

WITHSTANDS:

- Liquid nitrogen (-196°C) *Not suitable for use on glass in liquid nitrogen.*
- Freezer (-80°C) ■ Autoclave (+121°C)

Ideal for performance and general purpose lab labeling, the permanent adhesive and thicker construction makes this material durable, yet easy to handle.

Vial Size	Diagram	Part Number	Labels per Cartridge	Dimensions – inches			Dimensions – mm			Install Style (See page 4)
				A	B	C	A	B	C	
.6 ml	▲	X-130-499	350	0.825	0.375		20.96	9.53		Free Standing
.6 ml	❖	X-118-499	350	1.000	0.375	0.375 dia	25.40	9.53	9.53 dia	Free Standing
.6 ml	❖	X-120-499	350	1.000	0.500	0.375 dia	25.40	12.70	9.53 dia	Free Standing
1.0 to 8.0 ml	▲	X-131-499	350	1.000	0.500		25.40	12.70		Free Standing
1.0 to 8.0 ml	❖	X-118-499	350	1.000	0.375	0.375 dia	25.40	9.53	9.53 dia	Free Standing
1.0 to 8.0 ml	❖	X-120-499	350	1.000	0.500	0.375 dia	25.40	12.70	9.53 dia	Free Standing
1.0 to 8.0 ml	❖	X-117-499	350	1.000	0.500	0.440 dia	25.40	12.70	11.18 dia	Free Standing
12 to 24 ml	★	X-132-499	225	1.250	1.500		31.75	38.10		Free Standing



Vial Top Labels

B-499 Nylon Cloth Material


WITHSTANDS:

- Liquid nitrogen (-196°C) *Not suitable for use on glass in liquid nitrogen.*
- Freezer (-80°C) ■ Autoclave (+121°C)

Ideal for performance and general purpose lab labeling, the permanent adhesive and thicker construction makes this material durable, yet easy to handle.



Vial Size	Diagram	Part Number	Labels per Cartridge	Dimensions – inches			Dimensions – mm			Color
				A	B	C	A	B	C	
.6 to 1.5 ml	❖	X-82-499	350	0.375			9.530			BK on WT
.6 to 1.5 ml	❖	X-82-499-YL-BK	350	0.375			9.530			BK on YL
.6 to 1.5 ml	❖	X-82-499-OR-BK	350	0.375			9.530			BK on OR
.6 to 1.5 ml	❖	X-82-499-RD-BK	350	0.375			9.530			BK on RD
.6 to 1.5 ml	❖	X-118-499	350	1.000	0.375	0.375 dia	25.40	9.530	9.530 dia	BK on WT
.6 to 1.5 ml	❖	X-120-499	350	1.000	0.500	0.375 dia	25.40	12.70	9.530 dia	BK on WT
1.0 to 2.0 ml	❖	X-83-499	350	0.500			9.530			BK on WT
1.0 to 2.0 ml	❖	X-83-499-YL-BK	350	0.500			9.530			BK on YL
1.0 to 2.0 ml	❖	X-83-499-OR-BK	350	0.500			9.530			BK on OR
1.0 to 2.0 ml	❖	X-83-499-RD-BK	350	0.500			9.530			BK on RD
1.0 to 2.0 ml	❖	X-118-499	350	1.000	0.375	0.375 dia	25.40	9.530	9.530 dia	BK on WT
1.0 to 2.0 ml	❖	X-120-499	350	1.000	0.500	0.375 dia	25.40	12.70	9.530 dia	BK on WT
1.0 to 2.0 ml	❖	X-117-499	350	1.000	0.500	0.440 dia	25.40	12.70	11.18 dia	BK on WT



Conicals & Large Tube Labels

B-461 High Performance Lab Polyester



WITHSTANDS:

- Liquid nitrogen (-196°C) ■ Freezer (-80°C)
- Hot water bath (+100°C) ■ Autoclave (+121°C)

Designed for use in labs, this material has a very low-profile construction that prevents vials from jamming in the centrifuge or racks. It stays put in the harshest conditions, and the clear tail can be wrapped over text for added protection from solvents. For use in liquid nitrogen, label must wrap around vial and slightly overlap itself.



Conical Size	Diagram	Part Number	Labels per Cartridge	Dimensions – inches			Dimensions – mm			Install Style (See page 4)
				A	B	C	A	B	C	
LONG-TAIL STYLE – text covered for solvent resistance										
14 to 15 ml Conical		XSL-119-461	100	1.500	3.750	1.250	38.10	95.25	31.75	Long-Tail
SHORT-TAIL STYLE – lowest profile, easier handling										
14 to 15 ml Conical		XSL-129-461	175	1.500	2.250	1.250	38.10	57.15	31.75	Short-Tail
50 ml Conical		XSL-119-461	100	1.500	3.750	1.250	38.10	95.25	31.75	Short-Tail
CONTINUOUS WRAP STYLE – use w/vial templates in LABXPRT, no window to see liquid level										
Conicals		XC-1000-461	30 ft roll	30 ft.	1.000		9.1 m	25.40		Short Overlap
Conicals		XC-1250-461	30 ft roll	30 ft.	1.250		9.1 m	31.75		Short Overlap




B-490 FreezerBondz™ Material

WITHSTANDS:

- Liquid nitrogen (-196°C) ■ Freezer (-80°C) ■ Sticks to frozen/frosted surfaces
- Hot water bath (+100°C) ■ Autoclave (+121°C)

If you ever need to put a label on an already-frozen vial, this material will adhere to a frozen or frosted surface without the need to scrape or dry the vial before placement of the label. To be assured that the label stays secured when placed back into storage it is recommended that the label wrap around the vial and slightly overlap itself.

Conical Size	Diagram	Part Number	Labels per Cartridge	Dimensions – inches		Dimensions – mm		Install Style (See page 4)
				A	B	A	B	
14 to 15 ml Conical		X-113-490	175	1.500	2.200	38.10	55.88	Short Overlap
50 ml Conical		X-114-490	100	1.500	3.750	38.10	95.25	Short Overlap




B-499 Nylon Cloth Material

WITHSTANDS:

- Liquid nitrogen (-196°C) *Not suitable for use on glass in liquid nitrogen.*
- Freezer (-80°C) ■ Autoclave (+121°C)

Ideal for performance and general purpose lab labeling, the permanent adhesive and thicker construction makes this material durable, yet easy to handle.

Conical Size	Diagram	Part Number	Labels per Cartridge	Dimensions – inches		Dimensions – mm		Install Style (See page 4)
				A	B	A	B	
14 to 15 ml Conical		X-132-499	225	1.250	1.500	31.75	38.10	Free Standing
50 ml Conical		X-78-499	150	1.000	1.900	25.40	48.26	Free Standing



Well Plate Label

B-488 Chemical Resistant Lab Polyester


WITHSTANDS:

- Xylene ■ Toluene ■ DMSO ■ Ethanol ■ IPA
- Freezer (-80°C) ■ Autoclave (+121°C)

With permanent adhesion, outstanding chemical resistance, and write-on capabilities, this material performs in the very harshest lab environments.



	Diagram	Part Number	Labels per Cartridge	Dimensions – inches		Dimensions – mm	
				A	B	A	B
Well Plates	▲	X-81-488	200	1.900	0.250	48.26	6.35



Slide Labels

B-488 Chemical Resistant Lab Polyester


WITHSTANDS:

- Xylene ■ Toluene ■ DMSO ■ Ethanol ■ Freezer (-80°C)
- Autoclave (+121°C)

Created specifically for labeling slides, this material offers permanent adhesion, outstanding chemical resistance, and write-on capabilities.



Slide Size	Diagram	Part Number	Labels per Cartridge	Dimensions – inches		Dimensions – mm	
				A	B	A	B
Standard Slides	▲	X-97-488	400	0.900	0.900	22.86	22.86
Oversized Slides	▲	X-81-488	200	1.900	0.250	48.26	6.35



Straw Labels

B-427 Vinyl Material



WITHSTANDS:

- Liquid nitrogen (-196°C)
Not suitable for use on glass in liquid nitrogen.
- Freezer (-80°C)
Not suitable for high temperature applications.

Pliable and durable, this material is designed to wrap around and adhere to small diameter curved surfaces, such as straws. The clear "tail" wraps over the text for added protection.



Straw Size	Diagram	Part Number	Labels per Cartridge	Dimensions – inches			Dimensions – mm		
				A	B	C	A	B	C
Small straws / .25 ml	◐	XSL-133-427	225	1.750	1.000	0.375	44.45	25.40	9.530
Large straws / .50 ml	◐	XSL-134-427	225	1.750	1.500	0.500	44.45	38.10	12.70
Straw rod	▲	X-105-427-AW	500	1.100	0.250		27.94	6.350	



Tissue Cassette Label (post-process)

B-498 Vinyl Cloth Label


WITHSTANDS:

- Freezer (-80°C)
- Autoclave (+121°C)

This vinyl cloth label is made of durable material with an extra thick adhesive that sticks to paraffin-coated surfaces found on tissue cassettes (post-process only). It's easy to handle, with write-on capabilities.



Diagram	Part Number	Labels per Cartridge	Dimensions – inches		Dimensions – mm	
			A	B	A	B
▲	X-135-498	350	0.900	0.190	22.86	4.83



Bottles, Flasks, Dishes and General Lab ID

B-498 Vinyl Cloth Materials


WITHSTANDS:

- Freezer (-80°C)
- Autoclave (+121°C)

This label, with removable adhesive, is easy to handle with an aggressive tack that makes it ideal for use on glass flasks, plastic jugs, bottles, goblets, rough surfaces and general purpose lab labeling.



Diagram	Part Number	Labels per Cartridge	Dimensions – inches		Dimensions – mm	
			A	B	A	B
▲	X-131-498	350	1.000	0.500	25.40	12.70
▲	X-131-498	350	1.000	0.500	25.40	12.70
▲	X-78-498	350	1.000	1.900	25.40	48.26





B-499 Nylon Cloth Materials

WITHSTANDS:

- Liquid nitrogen (-196°C) *Not suitable for use on glass in liquid nitrogen.*
- Freezer (-80°C) ■ Autoclave (+121°C)

This material has permanent adhesive and wider temperature performance. It is easy to handle with an aggressive tack that makes it ideal for use on glass flasks, plastic jugs, bottles, goblets, rough surfaces and general purpose lab labeling.

Diagram	Part Number	Labels per Cartridge	Dimensions – inches		Dimensions – mm	
			A	B	A	B
▲	X-130-499	350	0.825	0.375	20.96	9.530
★	X-132-499	225	1.250	1.500	31.75	38.10
▲	X-131-499	350	1.000	0.500	25.40	12.70
▲	X-78-499	150	1.000	1.900	25.40	48.26



Tamper Resistant & Indicating Labels

B-351 Tamper Resistant/Indicating Polyester


WITHSTANDS:

- Freezer (-80°C)

This material fractures into tiny pieces very easily, making any unauthorized removal tedious and difficult. It is ideal as a tamper seal because the label will quickly fracture if the seal is bypassed.



Diagram	Part Number	Labels per Cartridge	Dimensions – inches		Dimensions – mm	
			A	B	A	B
▲	X-20-351	200	2.000	1.000	50.80	25.40
▲	X-17-351	500	1.000	0.500	25.40	12.70





Drawers, Shelves, Cabinets and Lab Facility ID

B-580 Heavy Duty Colored Vinyl Material

The perfect choice for general labeling of facility and equipment with warning labels, instructions, and reminders. Make sure your message gets noticed with bright colors! This indoor/outdoor material is pliable, sticks very well to rough and uneven surfaces, and has excellent resistance to dirt, oils, grime and many solvents.

Diagram	Part Number	Labels per Cartridge	Dimensions – inches		Dimensions – mm		Color
			A	B	A	B	
⊙	XC-500-580-WT-BK	30 ft. roll	30 ft.	0.500	9.1 m	12.70	BK on WT
⊙	XC-1000-580-WT-BK	30 ft. roll	30 ft.	1.000	9.1 m	25.40	BK on WT
⊙	XC-1500-580-WT-BK	30 ft. roll	30 ft.	1.500	9.1 m	38.10	BK on WT
⊙	XC-500-580-YL-BK	30 ft. roll	30 ft.	0.500	9.1 m	12.70	BK on YL
⊙	XC-1000-580-YL-BK	30 ft. roll	30 ft.	1.000	9.1 m	25.40	BK on YL
⊙	XC-1500-580-YL-BK	30 ft. roll	30 ft.	1.500	9.1 m	38.10	BK on YL
⊙	XC-500-580-GN-WT	30 ft. roll	30 ft.	0.500	9.1 m	12.70	WT on GN
⊙	XC-1000-580-GN-WT	30 ft. roll	30 ft.	1.000	9.1 m	25.40	WT on GN
⊙	XC-1500-580-GN-WT	30 ft. roll	30 ft.	1.500	9.1 m	38.10	WT on GN
⊙	XC-500-580-BL-WT	30 ft. roll	30 ft.	0.500	9.1 m	12.70	WT on BL
⊙	XC-1000-580-BL-WT	30 ft. roll	30 ft.	1.000	9.1 m	25.40	WT on BL
⊙	XC-1500-580-BL-WT	30 ft. roll	30 ft.	1.500	9.1 m	38.10	WT on BL
⊙	XC-500-580-RD-WT	30 ft. roll	30 ft.	0.500	9.1 m	12.70	RD on WT
⊙	XC-1000-580-RD-WT	30 ft. roll	30 ft.	1.000	9.1 m	25.40	RD on WT
⊙	XC-1500-580-RD-WT	30 ft. roll	30 ft.	1.500	9.1 m	38.10	RD on WT
⊙	XC-500-580-WT-RD	30 ft. roll	30 ft.	0.500	9.1 m	12.70	WT on RD
⊙	XC-1000-580-WT-RD	30 ft. roll	30 ft.	1.000	9.1 m	25.40	WT on RD
⊙	XC-1500-580-WT-RD	30 ft. roll	30 ft.	1.500	9.1 m	38.10	WT on RD
⊙	XC-500-580-OR-BK	30 ft. roll	30 ft.	0.500	9.1 m	12.70	BK on OR
⊙	XC-1000-580-OR-BK	30 ft. roll	30 ft.	1.000	9.1 m	25.40	BK on OR
⊙	XC-1500-580-OR-BK	30 ft. roll	30 ft.	1.500	9.1 m	38.10	BK on OR



IMAGINE an affordable lab labeling system that will make your job easier

With Brady's LABXPERT™ labeling system you can label your vials, vial tops, slides, well plates and more, quickly and easily with durable materials designed specifically for the lab environment. The labels will not fall off or smear, can fit more information, and are always legible.

The LABXPERT is ideal for lab use, with:

- Continuous and die cut label styles, including tops, self-laminating, and two-label combinations.
- Drop, Lock & Go Smart Cartridge combines labels and ribbon for a quick and easy change.
- Built-in lab applications, including vial templates, time and date stamp, and auto-serialization for aliquots.
- Bar coding capabilities – 2D and linear (code 39 and 128).
- PC connectivity to download your print job.
- 300 dpi print head for sharper resolution on small fonts and bar codes.
- 140 Greek and laboratory symbols.
- AA battery or AC power operation.

IMAGINE the possibilities

Brady Corporation experts have researched the needs specific to lab environments and designed a complete line of labeling solutions to meet the unique challenges found in the laboratory. From handheld printers to bench top printers, labeling software to scanners, Brady has developed solutions for every type of lab application.

For more information on Brady's complete line of products, services and technical data sheets, visit our website at www.bradyid.com.



Brady Corporation is an international manufacturer and marketer of complete identification solutions and specialty materials, and employs approximately 4,000 employees worldwide.

NORTH AMERICA

Phone: 1-800-897-5876 English
Fax: 1-800-292-2289
www.bradyid.com/lab

Phone: 1-800-263-6179 French
Fax: 1-800-387-4935
www.bradycanada.com

